

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/792,122	US-PGPUB; USPAT	OR	ON	2006/09/21 09:02
S2	12	model adj element adj class	US-PGPUB; USPAT	OR	ON	2006/09/20 14:56
S3	64	meta-attribute or (meta adj attribute)	US-PGPUB; USPAT	OR	ON	2006/09/20 15:32
S4	32	(meta-attribute or (meta adj attribute)) and (stor\$3 with attribute\$1)	US-PGPUB; USPAT	OR	ON	2006/09/20 13:53
S5	17	(meta-attribute or (meta adj attribute)) and (stor\$3 with attribute\$1)and tree	US-PGPUB; USPAT	OR	ON	2006/09/21 15:42
S6	8	(meta-attribute or (meta adj attribute)) and ((stor\$3 with attribute\$1) same (class))	US-PGPUB; USPAT	OR	ON	2006/09/20 14:42
S7	4043	stor\$3 class attribute\$1	US-PGPUB; USPAT	SAME	ON	2006/09/20 14:43
S8	522	stor\$3 same class same attribute\$1 same separat\$3	US-PGPUB; USPAT	OR	ON	2006/09/20 14:43
S9	154	S8 and "707".clas.	US-PGPUB; USPAT	OR	ON	2006/09/20 14:56
S10	12	model adj element adj class	US-PGPUB; USPAT; EPO	OR	ON	2006/09/20 15:21
S11	1	"5835910".pn. and (describ\$3 same attribut\$2)	US-PGPUB; USPAT; EPO	OR	ON	2006/09/20 15:22
S12	25	meta-attribute	US-PGPUB; USPAT	OR	ON	2006/09/20 15:35
S13	534	(meta-model or (meta adj model))	US-PGPUB; USPAT	OR	ON	2006/09/21 09:04
S14	158	S13 and "707".clas.	US-PGPUB; USPAT	OR	ON	2006/09/21 09:04
S15	738	(meta-model or metamodel or (meta adj model))	US-PGPUB; USPAT	OR	ON	2006/09/21 10:12
S16	237	S15 and "707".clas.	US-PGPUB; USPAT	OR	ON	2006/09/21 09:04
S17	4	S16 and (meta-attribute or (meta adj attribute) or metaattribute)	US-PGPUB; USPAT	OR	ON	2006/09/21 09:23
S18	20	S16 and singleton	US-PGPUB; USPAT	OR	ON	2006/09/21 09:23
S19	174	(meta-model or metamodel or (meta adj model)) and handler	US-PGPUB; USPAT	OR	ON	2006/09/21 10:12

EAST Search History

S20	62	S19 and ("707".clas. or "717".clas.)	US-PGPUB; USPAT	OR	ON	2006/09/26 13:46
S21	2	"6701381"	US-PGPUB; USPAT	OR	ON	2006/09/21 14:11
S22	174	(meta-model or metamodel or (meta adj model)) and handler	US-PGPUB; USPAT	OR	ON	2006/09/26 08:21
S23	84	S22 and ("707".clas. or "717".clas. or "709".clas.)	US-PGPUB; USPAT	OR	ON	2006/09/25 08:16
S24	7	(meta-attribute or (meta adj attribute)) and (stor\$3 with attribute\$1)and handler	US-PGPUB; USPAT	OR	ON	2006/09/21 15:43
S25	16	(meta-attribute or (meta adj attribute)) and handler	US-PGPUB; USPAT	OR	ON	2006/09/21 15:43
S26	1	"6134559".pn. and (meta same class)	US-PGPUB; USPAT	OR	ON	2006/09/25 08:45
S27	1	"6134559".pn. and (stor\$3 same class)	US-PGPUB; USPAT	OR	ON	2006/09/25 08:48
S28	1	"6134559".pn. and (stor\$3 same class same attribute\$1)	US-PGPUB; USPAT	OR	ON	2006/09/25 09:20
S29	1	"6134559".pn. and (meta same attribute\$1)	US-PGPUB; USPAT	OR	ON	2006/09/25 16:16
S30	62	singleton same abstract	US-PGPUB; USPAT	OR	ON	2006/09/25 14:11
S31	36	singleton same abstract same (class or type)	US-PGPUB; USPAT	OR	ON	2006/09/25 14:11
S32	1	"6134559".pn. and (get same class)	US-PGPUB; USPAT	OR	ON	2006/09/25 16:16
S33	207	(meta-model or metamodel or (meta adj model)) and tree and root	US-PGPUB; USPAT	OR	ON	2006/09/26 08:22
S34	198	(meta-model or metamodel or (meta adj model)) and tree and root and store	US-PGPUB; USPAT	OR	ON	2006/09/26 08:22
S35	58	S33 and "707".clas.	US-PGPUB; USPAT	OR	ON	2006/09/26 08:24
S36	1146	((meta adj data) or metadata or meta-data) same tree	US-PGPUB; USPAT	OR	ON	2006/09/26 08:25
S37	622	((((meta adj data) or metadata or meta-data) same tree) and root	US-PGPUB; USPAT	OR	ON	2006/09/26 08:25
S38	220	((((meta adj data) or metadata or meta-data) same tree) and root and container	US-PGPUB; USPAT	OR	ON	2006/09/26 08:25
S39	36	((((meta adj data) or metadata or meta-data) same tree same container) and root	US-PGPUB; USPAT	OR	ON	2006/09/26 09:02

EAST Search History

S40	67	((((meta adj data) or metadata or meta-data) same (tree or node) same container) and root	US-PGPUB; USPAT	OR	ON	2006/09/26 09:10
S41	603	((((meta adj data) or metadata or meta-data) same (tree or node) same stor\$3) and root	US-PGPUB; USPAT	OR	ON	2006/09/26 09:16
S42	358	S41 and "707".clas.	US-PGPUB; USPAT	OR	ON	2006/09/26 09:35
S43	444	(((((meta adj data) or metadata or meta-data) with stor\$3) same (tree or node))) and root	US-PGPUB; USPAT	OR	ON	2006/09/26 09:33
S44	254	S43 and "707".clas.	US-PGPUB; USPAT	OR	ON	2006/09/26 09:17
S45	35	(((((meta adj data) or metadata or meta-data) with stor\$3)) with root) same (tree or node)	US-PGPUB; USPAT	OR	ON	2006/09/26 09:20
S46	374	S41 and ("707".clas. or "717".clas.)	US-PGPUB; USPAT	OR	ON	2006/09/26 09:52
S47	14	(stor\$3 with ((meta adj data) or (meta-data or metadata)) with tree) same container	US-PGPUB; USPAT	OR	ON	2006/09/26 10:06
S48	4363	707/102.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/26 10:00
S49	4684	707/100.ccls.	US-PGPUB; USPAT	OR	ON	2006/09/26 10:01
S53	1	"6044217".pn.	US-PGPUB; USPAT	OR	ON	2006/09/26 10:23
S54	0	"6044217".pn. and (meta same tree)	US-PGPUB; USPAT	OR	ON	2006/09/26 12:58
S55	1	nest\$3 adj handler adj class	US-PGPUB; USPAT	OR	ON	2006/09/26 12:58
S56	16	(nest\$3 with handler) same class	US-PGPUB; USPAT	OR	ON	2006/09/26 13:02
S57	220	(nest\$3 with handler)	US-PGPUB; USPAT	OR	ON	2006/09/26 13:47
S58	14	S57 and "707".clas.	US-PGPUB; USPAT	OR	ON	2006/09/26 13:02
S59	40	S57 and ("707".clas. or "717".clas.)	US-PGPUB; USPAT	OR	ON	2006/09/27 09:02
S60	10	(nest\$3 adj handler)	US-PGPUB; USPAT	OR	ON	2006/09/27 09:02
S63	238	(handler adj class)	US-PGPUB; USPAT	OR	ON	2006/09/27 09:04
S64	80	S63 and ("707".clas. or "717".clas.)	US-PGPUB; USPAT	OR	ON	2006/09/27 09:02

EAST Search History

S65	76	(handler adj class) and nest\$3	US-PGPUB; USPAT	OR	ON	2006/09/27 09:04
S66	1	10/864,745	US-PGPUB; USPAT	OR	ON	2006/09/27 16:33
S67	28	metamodel\$4 and (private same class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:12
S68	2	memory same block same inlin\$4 same class same (value attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:13
S69	895	memory same block same class same (value attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:13
S70	194	memory same block same class same (value attribute) same "same"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:15
S71	48	(memory with block) same class same (value attribute) same "same"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:17
S72	2378	(memory with block with "same") same (value attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:17
S73	6	(memory with block with "same") same (value attribute) same class	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:18
S74	45	(memory with block with "same") same (value same attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:19
S75	846	(memory with block with "same" with stor\$4) same (value attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:24
S76	36	S75 and "707".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:24
S77	216	(memory with block with "same" with locat\$4) same (value attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:25

EAST Search History

S78	10	S77 and "707".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 13:24
S79	69	(memory with block with "same" with allocat\$4) same (value attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 14:19
S80	1953	(code near2 segment) same (data near2 segment)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 14:20
S81	718	(code near2 segment) same (data near2 segment) same memory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 14:20
S82	59	(code near2 segment) same (data near2 segment) same memory same (merg\$4 combin\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 14:22
S83	61	(code near2 segment) same (data near2 segment) same memory same shar\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 14:22
S84	286	(shared near2 memory) same object same class	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 17:11
S85	146	S84 and ("707".clas. "709".clas. "719".clas.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 17:07
S86	108	S84 and ("707".clas. "709".clas.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 17:07
S87	63	((shared near2 memory) same object same class) and handler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/06 17:11
S88	13	nest\$4 with handler with class	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/17 15:22
S89	6	(handler adj class) same nest\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/17 15:22

EAST Search History

S90	248	((get\$4 set\$4) with value) and (private with class) and inherit\$5 and nested	US-PGPUB; USPAT	OR	ON	2007/12/19 15:49
S91	76	S90 and "707".clas.	US-PGPUB; USPAT	OR	ON	2007/12/17 16:16
S92	167	((get\$4 set\$4) with value) and (private with class) and inherit\$5 and nested and c++	US-PGPUB; USPAT	OR	ON	2007/12/17 16:16
S93	43	S92 and "707".clas.	US-PGPUB; USPAT	OR	ON	2007/12/17 16:33
S94	257	(stor\$4 with attribute) same separat\$4 same execut\$4	US-PGPUB; USPAT	OR	ON	2007/12/17 16:33
S95	2224	(stor\$4 with (value attribute)) same separat\$4 same execut\$4	US-PGPUB; USPAT	OR	ON	2007/12/17 16:39
S96	219	S95 and "707".clas.	US-PGPUB; USPAT	OR	ON	2007/12/17 16:40
S97	2631	(stor\$4 with (value attribute)) with separat\$4 with (process\$4 comput\$4 handl\$4 execut\$4)	US-PGPUB; USPAT	OR	ON	2007/12/17 16:43
S98	219	S96 and "707".clas.	US-PGPUB; USPAT	OR	ON	2007/12/17 16:40
S99	212	S97 and "707".clas.	US-PGPUB; USPAT	OR	ON	2007/12/17 16:43
S100	170	S99 not S96	US-PGPUB; USPAT	OR	ON	2007/12/17 16:40
S101	1386	(stor\$4 with (value attribute)) with separat\$4 with (comput\$4 handl\$4 execut\$4)	US-PGPUB; USPAT	OR	ON	2007/12/17 16:45
S102	123	S101 and "707".clas.	US-PGPUB; USPAT	OR	ON	2007/12/17 16:43
S103	141	(stor\$4 with (value attribute)) with separat\$4 with (handl\$4)	US-PGPUB; USPAT	OR	ON	2007/12/17 18:03
S104	52	((((get\$4 set\$4) with value) same (nested subclass sub\$class)) and (private with class) and inherit\$5 and nested	US-PGPUB; USPAT	OR	ON	2007/12/19 15:54
S105	543	handler near2 class	US-PGPUB; USPAT	OR	ON	2007/12/19 15:55
S106	101	S105 and "707".clas.	US-PGPUB; USPAT	OR	ON	2007/12/19 15:54
S107	183	S105 and ("707".clas. "717".clas.)	US-PGPUB; USPAT	OR	ON	2007/12/19 16:37
S108	42	(handler near2 class) same (nested subclass sub\$class)	US-PGPUB; USPAT	OR	ON	2007/12/19 16:36

EAST Search History

S10 9	1087	private same public same class same (value attribute)	US-PGPUB; USPAT	OR	ON	2007/12/19 16:37
S11 0	292	private same public same class same (value attribute) same access\$4	US-PGPUB; USPAT	OR	ON	2007/12/19 16:37
S11 1	183	S107 and ("707".clas. "717".clas.)	US-PGPUB; USPAT	OR	ON	2007/12/19 16:38
S11 2	129	S110 and ("707".clas. "717".clas.)	US-PGPUB; USPAT	OR	ON	2007/12/19 17:23
S11 3	204	(public with access) same private same (nested inheritance subclass sub\$class)	US-PGPUB; USPAT	OR	ON	2007/12/19 17:29
S11 4	60	S113 and ("707".clas. "717".clas.)	US-PGPUB; USPAT	OR	ON	2007/12/19 17:23
S11 5	28	(public with access) same private same (nested subclass sub\$class)	US-PGPUB; USPAT	OR	ON	2007/12/19 17:29